

IN THE CLAIMS:

Please cancel claims 1 - 10 in their entirety and without prejudice and substitute the following new claims:

1 --11. A method for dynamically generating an object class (Class 1) in a
2 computer system (10), comprising creating a global generic class (GenericClass)
3 having two possible members, one of which is an instance of a generic class
4 (GenericAttribute, GenericMethod), and of instantiating the global generic class in
5 order to have said object class.

1 12. A method according to claim 11, wherein at least one member is an
2 attribute of the global generic class.

1 13. A method according to claim 11, wherein at least one member is a
2 method of the global generic class.

1 14. A method according to claim 12, wherein at least one member is a
2 method of the global generic class.

1 15. A method according to claim 13, wherein the method of the global
2 generic class is defined by at least one parameter derived from an instance of a
3 generic class (GenericParameter).

1 16. A method according to claim 14, wherein the method of the global
2 generic class is defined by at least one parameter derived from an instance of a
3 generic class (GenericParameter).

1 17. A method according to claim 11, further comprising automatically
2 generating the global generic class and the generic class by means of a tool (20)
3 having respective dialog boxes (23-26) that make it possible to define these classes.

1 18. A method according to claim 11, further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 19. A method according to claim 18, wherein the method is implemented
2 by a designer (C) who is a computer expert, using the command interface used for
3 the control of the computer system by a user (U) who may not be a computer expert.

1 20. A method according to claim 12, further comprising automatically
2 generating the global generic class and the generic class by means of a tool (20)
3 having respective dialog boxes (23-26) that make it possible to define these classes.

1 21. A method according to claim 13, further comprising automatically
2 generating the global generic class and the generic class by means of a tool (20)

3 having respective dialog boxes (23-26) that make it possible to define these classes.

1 22. A method according to claim 14, further comprising automatically
2 generating the global generic class and the generic class by means of a tool (20)
3 having respective dialog boxes (23-26) that make it possible to define these classes.

1 23. A method according to claim 15, further comprising automatically
2 generating the global generic class and the generic class by means of a tool (20)
3 having respective dialog boxes (23-26) that make it possible to define these classes.

1 24. A method according to claim 16, further comprising automatically
2 generating the global generic class and the generic class by means of a tool (20)
3 having respective dialog boxes (23-26) that make it possible to define these classes.

1 25. A method according to claim 12, further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 26. A method according to claim 13, further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 27. A method according to claim 14, further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 28. A method according to claim 15, further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 29. A method according to claim 16, further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 30. A method according to claim 17 further comprising implementing the
2 method in a command interface (11) used for the control of the computer system.

1 31. A computer system for implementing a method for dynamically
2 generating an object class (Class 1) comprising means for creating a global generic
3 class (GenericClass) having two possible numbers, one of which is an instance of a
4 generic class (GenericAttribute, GenericMethod) and means for instantiating the
5 global generic class in order to have said object class.

1 32. A system according to claim 31 further comprising a command
2 interface (11), within which the method is implemented.

1 33. A system according to claim 31, wherein the command interface (11)
2 includes a design module (13) within which the method may be implemented by a
3 designer (C) who is a computer expert, using a console (17) used for the control of